



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/965,973	09/28/2001	Mark A. Freeman		5182

7590 03/24/2005
Mark A. Freeman
8928 Twilight
Lenexa, KS 66219

EXAMINER

HYLTON, ROBIN ANNETTE

ART UNIT PAPER NUMBER

3727

DATE MAILED: 03/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/965,973

Applicant(s)

FREEMAN ET AL. *ed*

Examiner

Robin A. Hylton

Art Unit

3727

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10-23-03 & 10-25-04.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 21,22,24-29,31-36 and 38-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21,22,24,25,27-29,31,32,34-36 and 39-43 is/are rejected.
- 7) ☒ Claim(s) 26,33 and 38 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 September 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 3727

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 23, 2003 has been entered.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the spout, vent means, multiple recessed channels on the cover, the container having a corresponding recessed channel, the container having multiple recessed channels, and both the container and cover having a recessed channel must be shown or the features canceled from the claims. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet"

Art Unit: 3727

pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. The drawings are objected to under 37 CFR 1.83(a) because they fail to show the plastic material as described in the specification in cross-sectional views as alternating thick and thin lines. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on May 5, 2003 have been disapproved because they introduce new matter into the drawings. 37 CFR 1.121(f) states that no amendment may introduce new matter into the

Art Unit: 3727

disclosure of an application. The original disclosure does not support the showing of the spout having the configuration depicted.

Claim Rejections - 35 USC § 103

5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

6. Claims 21,25,27,28,32,34,35,39,40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Laskin (US 2,437,784).

Laskin teaches an apparatus having an outlet passage formed by a recessed channel in the wall of the container, a recessed channel in the closure, and in both the container and closure. The fluid entrance is at the lowermost portion of the channel in the upright position of the apparatus. Laskin is silent regarding a volume of the outlet passage and more specifically of the volume being greater than 0.060 cubic inches.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the outlet of a size to prevent contained liquid from reaching the fluid exit with the apparatus is inverted. Doing so eliminates the need to misalign the closure channel and the container channel to prevent spills.

Regarding the claimed specific value, it would have been obvious to one having ordinary skill in the art at the time the invention was made to select an appropriate value suitable to optimize the apparatus.

7. Claims 21,22,24,25,27-29,31,32,34-36, and 39-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Betka et al (US 4,925,052).

Betka teaches an apparatus having an outlet passage formed by a recessed channel in the wall of the container, a recessed channel in the closure, and in both the container and closure. The fluid entrance is at the lowermost portion of the channel in the upright position of

Art Unit: 3727

the apparatus. Betka is silent regarding a volume of the outlet passage and more specifically of the volume being greater than 0.060 cubic inches.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the outlet of a size to prevent contained liquid from reaching the fluid exit with the apparatus is inverted. Doing so eliminates the need to misalign the closure channel and the container channel to prevent spills.

Regarding the claimed specific value, it would have been obvious to one having ordinary skill in the art at the time the invention was made to select an appropriate value suitable to optimize the apparatus.

Allowable Subject Matter

8. Claims 26, 33 and 38 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

9. Applicant's arguments filed October 23, 2003 have been fully considered but they are not persuasive.

Regarding applicant's remarks concerning the drawing objections, it is noted that the specification points to two prior art references having a spout. It is also noted that the proposed drawing corrections do not depict a spout as illustrated in the prior art references. Further, the specification does not set forth that the spout which could be used on the closure of the instant invention is the same as either of the spouts illustrated in the prior art listed in the specification.

New drawings are required in response to this Office action to address the objections set forth above.

Art Unit: 3727

Conclusion

10. For scanning purposes, applicant is requested to bring each of the listing of claims, any amendments to the specification, and applicant's remarks on separate sheets of paper in applicant's response to this Office action.

11. In order to reduce pendency and avoid potential delays, Group 3720 is encouraging FAXing of responses to Office Actions directly into the Group at (703) 872-9306. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by applicants who authorize charges to a PTO deposit account. Please identify the examiner and art unit at the top of your cover sheet. Papers submitted via FAX into Group 3720 will be promptly forwarded to the examiner.

12. It is called to applicant's attention that if a communication is faxed before the reply time has expired, applicant may submit the reply with a "Certificate of Facsimile" which merely asserts that the reply is being faxed on a given date. So faxed, before the period for reply has expired, the reply may be considered timely. A suggested format for a certificate follows:

I hereby certify that this correspondence for Application Serial No. _____ is being facsimiled to The U.S. Patent and Trademark Office via fax number (703) 872-9306 on the date shown below:

Typed or printed name of person signing this certificate

Signature _____

Date _____

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robin Hylton whose telephone number is (571) 272-4540. The examiner can normally be reached Monday - Friday from 9:00 a.m. to 4:00 p.m. (Eastern time).


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lee Young, can be reached on (571) 272-4549.

Art Unit: 3727

If in receiving this Office Action it is apparent to applicant that certain documents are missing, e.g., copies of references cited, form PTO-1449, form PTO-892, etc., requests for copies of such papers should be directed to Errica Miller at (571) 272-4370.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-1148 or may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RAH
February 5, 2005



Robin A. Hylton
Primary Examiner
GAU 3727